

Appendix 1. Continued.

Scientific name	Vernacular name	Voucher number	BRAOT ^a	Wetland occurrence category ^b
Dennstaedtiaceae 잔고사리과				
<i>Dennstaedtia wilfordii</i> (T. Moore) H. Christ	황고사리	NIBRVP0000704790		OBU
Dryopteridaceae 관중과				
<i>Cyrtomium fortunei</i> J. Sm.	쇠고비	NIBRVP0000640657		OBU
<i>Dryopteris bissetiana</i> (Baker) C. Chr.	산죽제비고사리	NIBRVP0000550748		OBU
<i>Dryopteris chinensis</i> (Baker) Koidz.	가는잎죽제비고사리	NIBRVP0000580544		OBU
<i>Dryopteris lacera</i> (Thunb.) Kuntze	비늘고사리	NIBRVP0000580559		OBU
<i>Dryopteris uniformis</i> (Makino) Makino	곰비늘고사리	NIBRVP0000640662		OBU
<i>Polystichum tripterum</i> (Kunze) C. Presl	십자고사리	NIBRVP0000640868		OBU
Ophioglossaceae 고사리삼과				
<i>Botrychium ternatum</i> (Thunb.) Sw.	고사리삼	NIBRVP0000705517		OBU

^aBRAOT, Biological resources subject to the approval of outbound transfer. ^bFACW, facultative wetland plant; FAC, facultative plant; FACU, facultative upland plant; OBU, obligate upland plant; NA, not applicable (Choung et al., 2012).

Appendix 2. Comparison of the vascular plants of Gwangdeoksan Mountain reported in previous studies and the current study.

Scientific name	Vernacular name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
Alismataceae 택사과								
<i>Sagittaria aginashi</i> Makino	보풀 ^b	O						
Acoraceae 창포과								
<i>Acorus calamus</i> L.	창포 ^{b,c,d}			O	O			
Araceae 천남성과								
<i>Arisaema amurense</i> Maxim.	등근잎천남성	O	O	O	O	O	O	O
<i>Arisaema amurense</i> f. <i>serratum</i> (Nakai) Kitag.	천남성	O	O	O		O		
<i>Arisaema heterophyllum</i> Blume	두루미천남성 ^{b,c}		O	O	O	O		O
<i>Arisaema serratum</i> (Thunb.) Schott	점백이천남성	O	O	O	O	O	O	O
<i>Pinellia ternata</i> (Thunb.) Ten. ex Breitenb.	반하		O	O		O		O
Commelinaceae 닭의장풀과								
<i>Commelina communis</i> L.	닭의장풀	O	O	O	O	O		O
Cyperaceae 사초과								
<i>Bulbostylis densa</i> var. <i>capitata</i> (Miq.) Ohwi	실하늘지기	O						
<i>Carex aphanolepis</i> Franch. & Sav.	골사초							O
<i>Carex bostrychostigma</i> Maxim.	길뚝사초		O			O		O
<i>Carex breviculmis</i> R. Br.	청사초	O	O		O	O		O
<i>Carex ciliatomarginata</i> Nakai	털대사초			O		O		
<i>Carex dimorpholepis</i> Steud.	이삭사초				O	O		
<i>Carex dispalata</i> Boott	삿갓사초 ^b					O		
<i>Carex forficula</i> Franch. & Sav.	산뚝사초				O			O
<i>Carex glabrescens</i> (Kük.) Ohwi	곱슬사초			O				

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Carex humilis</i> var. <i>nana</i> (H. Lev. & Vaniot) Ohwi	가는잎그늘사초	O	O	O	O	O		
<i>Carex japonica</i> Thunb.	개찌버리사초	O	O	O		O		O
<i>Carex lanceolata</i> Boott	그늘사초	O	O	O		O	O	O
<i>Carex leiorhyncha</i> C. A. Mey.	산괭이사초	O	O			O		O
<i>Carex neurocarpa</i> Maxim.	괭이사초		O		O	O		O
<i>Carex polyschoena</i> H. Lév. & Vaniot	가지청사초							O
<i>Carex sabyensis</i> Less. ex Kunth	실청사초			O				
<i>Carex siderosticta</i> Hance	대사초	O	O		O	O	O	O
<i>Cyperus amuricus</i> Maxim.	방동사니	O	O	O	O	O		
<i>Cyperus difformis</i> L.	알방동사니	O	O			O		O
<i>Cyperus iria</i> L.	참방동사니			O				O
<i>Cyperus microiria</i> Steud.	금방동사니			O				O
<i>Eleocharis congesta</i> var. <i>japonica</i> (Miq.) T. Koyama	바늘골	O						
<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	애기하늘지기			O				
<i>Fimbristylis dichotoma</i> (L.) Vahl	하늘지기	O	O			O		
<i>Fimbristylis littoralis</i> Gaudich.	바람하늘지기	O						
<i>Kyllinga brevifolia</i> var. <i>leiolepis</i> (Franch. & Sav.) H. Hara	파대가리		O			O		O
Poaceae 벼과								
<i>Agrostis clavata</i> Trin.	산겨이삭					O		
<i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi	겨이삭	O		O		O		
<i>Alopecurus aequalis</i> Sobol.	뚝새풀	O	O			O		O
<i>Arthraxon hispidus</i> (Thunb.) Makino	조개풀		O			O		
<i>Arundinella hirta</i> (Thunb.) Tanaka	새	O	O			O		O
<i>Avena fatua</i> L.	메귀리 ^o		O			O		
<i>Beckmannia syzigachne</i> (Steud.) Fernald	개피	O	O			O		
<i>Bromus catharticus</i> Vahl	큰이삭풀 ^o							O
<i>Bromus japonicus</i> Thunb.	참새귀리	O	O			O		O
<i>Bromus remotiflorus</i> (Steud.) Ohwi	꼬리새	O	O			O		O
<i>Bromus tectorum</i> L.	털빚새귀리 ^o			O				
<i>Calamagrostis arundinacea</i> (L.) Roth	실새풀		O	O		O		O
<i>Calamagrostis epigeios</i> (L.) Roth	산조풀			O				O
<i>Cleistogenes hackelii</i> (Honda) Honda	대새풀	O	O			O		
<i>Cymbopogon goeringii</i> (Steud.) A. Camus	개솔새		O			O		O
<i>Dactylis glomerata</i> L.	오리새 ^o			O	O			O
<i>Diarrhena fauriei</i> (Hack.) Ohwi	광릉용수염							O
<i>Diarrhena mandshurica</i> Maxim.	검길용수염							O
<i>Digitaria ciliaris</i> (Retz.) Koeler	바랭이	O	O	O		O		O
<i>Digitaria violascens</i> Link	민바랭이					O		
<i>Echinochloa crus-galli</i> (L.) P. Beauv.	돌피		O	O	O	O		O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Eleusine indica</i> (L.) Gaertn.	왕바랭이							0
<i>Elymus ciliaris</i> (Trin.) Tzvelev	속털개밀	0	0	0	0	0		0
<i>Elymus tsukushiensis</i> Honda	개밀		0			0		0
<i>Eragrostis ferruginea</i> (Thunb.) P. Beauv.	그령	0	0	0	0	0		0
<i>Eragrostis pilosa</i> (L.) P. Beauv.	큰비노리	0	0			0		
<i>Eriochloa villosa</i> (Thunb.) Kunth	나도개피			0	0	0		0
<i>Eulalia speciosa</i> (Debeaux) Kuntze	개억새					0		
<i>Festuca arundinacea</i> Schreb.	큰김의털 ^e							0
<i>Festuca ovina</i> L.	김의털		0	0	0	0		
<i>Festuca parvigluma</i> Steud.	김의털아재비	0	0			0		
<i>Hemarthria sibirica</i> (Gand.) Ohwi	쇠치기풀	0	0			0		
<i>Hierochloa odorata</i> (L.) P. Beauv.	향모			0				
<i>Hystrix duthiei</i> subsp. <i>longiaristata</i> (Hack.) Baden, Fred. & Seberg	수염개밀 ^b							0
<i>Isachne globosa</i> (Thunb.) Kuntze	기장대풀			0				
<i>Koeleria macrantha</i> (Ledeb.) Schult.	도랭이피			0				
<i>Lolium perenne</i> L.	호밀풀 ^e							0
<i>Melica nutans</i> L.	왕쌀새 ^b					0		
<i>Melica onoei</i> Franch. & Sav.	쌀새		0	0	0	0		0
<i>Microstegium vimineum</i> (Trin.) A. Camus	나도바랭이새			0	0			
<i>Milium effusum</i> L.	나도겨이삭					0		0
<i>Miscanthus sacchariflorus</i> (Maxim.) Hack.	물억새							0
<i>Miscanthus sinensis</i> Andersson	억새	0	0	0	0	0		0
<i>Muhlenbergia huegelii</i> Trin.	큰취꼬리새					0		
<i>Muhlenbergia japonica</i> Steud.	취꼬리새					0		
<i>Oplismenus undulatifolius</i> (Ard.) Roem. & Schult.	주름조개풀	0	0	0	0	0		0
<i>Panicum bisulcatum</i> Thunb.	개기장					0		0
<i>Panicum virgatum</i> L.	큰개기장 ^e							0
<i>Paspalum thunbergii</i> Kunth ex Steud.	참새피		0			0		
<i>Pennisetum alopecuroides</i> (L.) Spreng.	수크령	0	0	0	0	0		0
<i>Phalaris arundinacea</i> L.	갈풀		0	0		0		
<i>Phragmites australis</i> (Cav.) Trin. ex Steud.	갈대					0		
<i>Phragmites japonica</i> Steud.	달뿌리풀		0	0	0	0		
<i>Poa acroleuca</i> Steud.	실포아풀	0				0		
<i>Poa hisauchii</i> Honda	구내풀			0				0
<i>Poa pratensis</i> L.	왕포아풀 ^e			0				
<i>Poa sphondylodes</i> Trin.	포아풀			0		0	0	
<i>Schizachyrium brevifolium</i> (Sw.) Nees & Büse	쇠풀	0	0			0		
<i>Setaria faberi</i> R. A. W. Herrm.	가을강아지풀							0

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Setaria pumila</i> (Poir.) Roem. & Schult.	금강아지풀			0	0	0		0
<i>Setaria pycnocomma</i> (Steud.) Henrard ex Nakai	수강아지풀							0
<i>Setaria viridis</i> (L.) P. Beauv.	강아지풀	0	0	0	0	0		0
<i>Setaria viridis</i> var. <i>pachystachys</i> (Franch. & Sav.) Makino & Nemoto	갯강아지풀							0
<i>Spodipogon cotulifer</i> (Thunb.) Hack.	기름새		0			0		
<i>Spodipogon sibiricus</i> Trin.	큰기름새	0	0			0		0
<i>Sporobolus fertilis</i> (Steud.) Clayton	취꼬리새풀					0		
<i>Stipa coreana</i> Honda	참나래새							0
<i>Stipa pekinensis</i> Hance	나래새			0		0		0
<i>Themeda triandra</i> Forssk.	솔새							0
<i>Trisetum bifidum</i> (Thunb.) Ohwi	참자리피	0		0				
<i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf	줄		0			0		
<i>Zoysia japonica</i> Steud.	잔디	0	0		0	0		
Juncaceae 골풀과								
<i>Juncus decipiens</i> (Buchenau) Nakai	골풀	0	0	0	0	0		0
<i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner	참비녀골풀			0	0			
<i>Juncus tenuis</i> Willd.	길골풀							0
<i>Luzula capitata</i> Kom.	평의밥	0	0	0	0	0		0
Amaryllidaceae 수선화과								
<i>Lycoris squamigera</i> Maxim.	상사화		0			0		
Dioscoreaceae 마과								
<i>Dioscorea coreana</i> (Prain & Burkill) R. Knuth	푸른마 ^a			0		0		
<i>Dioscorea japonica</i> Thunb.	참마	0	0			0		0
<i>Dioscorea nipponica</i> Makino	부채마			0				
<i>Dioscorea polystachya</i> Turcz.	마	0	0			0		0
<i>Dioscorea quinqueloba</i> Thunb.	단풍마	0	0	0	0	0		0
Iridaceae 붓꽃과								
<i>Iris minutoaurea</i> Makino	금붓꽃 ^{b,c,d}			0	0			
<i>Iris rossii</i> Baker	각시붓꽃 ^c	0	0	0	0	0	0	0
<i>Iris sanguinea</i> Donn ex Hornem.	붓꽃 ^c	0	0			0		
Liliaceae 백합과								
<i>Allium macrostemon</i> Bunge	산달래	0	0			0		0
<i>Allium monanthum</i> Maxim.	달래	0	0			0		
<i>Allium thunbergii</i> G. Don	산부추							0
<i>Allium tuberosum</i> Rottler ex Spreng.	부추			0				
<i>Asparagus schoberioides</i> Kunth	비짜루	0	0	0		0		0
<i>Barnardia japonica</i> (Thunb.) Schult. & Schult. f.	무릇	0	0			0		0
<i>Convallaria keiskei</i> Miq.	은방울꽃 ^c	0	0	0	0	0		0

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Disporum smilacinum</i> A. Gray	애기나리	O	O	O	O	O	O	O
<i>Disporum uniflorum</i> Baker	윤관나물 ^c		O			O	O	O
<i>Disporum viridescens</i> (Maxim.) Nakai	큰애기나리 ^c	O	O	O		O		
<i>Erythronium japonicum</i> Decne.	얼레지 ^c		O			O		
<i>Hemerocallis hakuunensis</i> Nakai	백운산원추리 ^{a,c}	O	O	O	O	O		O
<i>Hemerocallis lilioasphodelus</i> L.	노랑원추리							O
<i>Hosta capitata</i> (Koidz.) Nakai	일월비비추 ^{b,c}	O	O		O	O		O
<i>Hosta longipes</i> (Franch. & Sav.) Matsum.	비비추			O		O		
<i>Lilium amabile</i> Palib.	털중나리 ^c	O	O	O	O	O		O
<i>Lilium distichum</i> Nakai	말나리 ^{b,c,d}		O			O		O
<i>Lilium lancifolium</i> Thunb.	참나리 ^c	O	O			O		
<i>Lilium tsingtauense</i> Gilg	하늘말나리 ^c	O	O	O	O	O		O
<i>Liriope platyphylla</i> F. T. Wang & T. Tang	맥문동 ^c					O		O
<i>Maianthemum japonicum</i> (A. Gray) La Frankie	풀솜대 ^c	O	O	O	O	O	O	O
<i>Paris verticillata</i> M. Bieb.	삿갓나물			O	O	O	O	O
<i>Polygonatum inflatum</i> Kom.	통동굴레	O	O	O	O	O	O	O
<i>Polygonatum involucreatum</i> (Franch. & Sav.) Maxim.	용동굴레	O	O			O		
<i>Polygonatum lasianthum</i> Maxim.	죽대 ^c		O			O		
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi	등굴레 ^c	O	O	O	O	O		O
<i>Tricyrtis macropoda</i> Miq.	삐꼭나리 ^{b,c,d}							O
<i>Tulipa edulis</i> (Miq.) Baker	산자고 ^c			O	O		O	
<i>Veratrum maackii</i> Regel	여로 ^b		O	O		O		O
<i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H. Hara	파란여로 ^b	O	O			O		O
<i>Veratrum versicolor</i> Nakai	흰여로							O
Smilacaceae 청미래덩굴과								
<i>Smilax china</i> L.	청미래덩굴	O	O	O	O	O		O
<i>Smilax nipponica</i> Miq.	선밀나물	O	O	O	O	O		O
<i>Smilax riparia</i> A. DC.	밀나물	O	O	O		O		
<i>Smilax sieboldii</i> Miq.	청가시덩굴	O	O			O		O
<i>Smilax sieboldii</i> var. <i>inermis</i> Nakai	민청가시덩굴							O
Orchidaceae 난초과								
<i>Amitostigma gracile</i> (Blume) Schltr.	병아리난초		O			O		
<i>Cephalanthera erecta</i> (Thunb.) Blume	은난초	O	O			O		
<i>Cephalanthera falcata</i> (Thunb.) Blume	금난초 ^b	O	O	O		O		
<i>Cephalanthera longibracteata</i> Blume	은대난초	O	O	O	O	O		O
<i>Epipactis thunbergii</i> A. Gray	닭의난초 ^b							O
<i>Gastrodia elata</i> Blume	천마 ^{b,d}			O	O			
<i>Liparis japonica</i> (Miq.) Maxim.	키다리난초			O				
<i>Liparis krameri</i> Franch. & Sav.	나나별이난초					O		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Liparis kumokiri</i> F. Maek.	옥잠난초	O	O			O		O
<i>Liparis makinoana</i> Schltr.	나리난초 ^b				O			
<i>Platanthera mandarinorum</i> Rchb. f.	산제비란					O		
<i>Spiranthes sinensis</i> (Pers.) Ames	타래난초		O			O		
Apiaceae 미나리과								
<i>Angelica anomala</i> Avé-Lall.	개구릿대 ^b					O		O
<i>Angelica cartilaginomarginata</i> var. <i>distans</i> (Nakai) Kitag.	흰바디나물 ^c					O		
<i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook. f. ex Franch. & Sav.	구릿대		O			O		
<i>Angelica decursiva</i> (Miq.) Franch. & Sav.	바디나물			O	O	O		
<i>Angelica polymorpha</i> Maxim.	궁궁이		O			O	O	O
<i>Anthriscus sylvestris</i> (L.) Hoffm.	전호	O		O				
<i>Cryptotaenia japonica</i> Hassk.	파드득나물 ^c					O		
<i>Cymopterus melanotilingia</i> (H. Boissieu) C. Y. Yoon	큰참나물 ^b					O	O	
<i>Heracleum moellendorffii</i> Hance	어수리 ^c		O			O		O
<i>Oenanthe javanica</i> (Blume) DC.	미나리 ^c	O	O			O		
<i>Osmorhiza aristata</i> (Thunb.) Rydb.	긴사상자			O	O	O		O
<i>Ostericum grosseserratum</i> (Maxim.) Kitag.	신감채		O	O	O	O		O
<i>Ostericum sieboldii</i> (Miq.) Nakai	윗미나리		O	O		O		O
<i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Ledeb.	기름나물	O	O	O	O	O		O
<i>Pimpinella brachycarpa</i> (Kom.) Nakai	참나물 ^c		O	O	O	O		O
<i>Sanicula chinensis</i> Bunge	참반디			O		O		O
<i>Sium ninsi</i> L.	감자개 발나물			O	O			
<i>Torilis japonica</i> (Houtt.) DC.	사상자	O	O	O	O	O		
<i>Torilis scabra</i> (Thunb.) DC.	큰사상자		O			O		
Araliaceae 두릅나무과								
<i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y. C. Chu	독활					O		O
<i>Aralia elata</i> (Miq.) Seem.	두릅나무		O			O		
<i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S. Y. Hu	오갈피나무 ^{b,c}		O	O	O	O		
<i>Kalopanax septemlobus</i> (Thunb.) Koidz.	음나무 ^c		O			O		
Aristolochiaceae 쥐방울덩굴과								
<i>Aristolochia contorta</i> Bunge	쥐방울덩굴 ^{b,c}	O	O	O	O	O		O
<i>Asarum mandshuricum</i> (Maxim.) M. Kim & S. So	털족도리풀 ^b							O
<i>Asarum patens</i> (Yamaki) M. Kim & S. So	금오족도리풀 ^{a,c}							O
<i>Asarum sieboldii</i> Miq.	족도리풀	O	O	O	O	O	O	O
Asteraceae 국화과								
<i>Achillea alpina</i> L.	톱풀 ^b	O						
<i>Adenocaulon himalaicum</i> Edgew.	멸가치		O	O	O	O		O
<i>Ainsliaea acerifolia</i> Sch. Bip.	단풍취	O	O	O		O	O	O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Ambrosia artemisiifolia</i> L.	돼지풀 ^e					O		
<i>Ambrosia trifida</i> L.	단풍잎돼지풀 ^e					O		O
<i>Artemisia argyi</i> H. Lév. & Vaniot	황해쭉							O
<i>Artemisia capillaris</i> Thunb.	사철쭉	O	O			O		O
<i>Artemisia codonocephala</i> Diels	참쭉	O				O		
<i>Artemisia indica</i> Willd.	쭉	O	O	O	O	O		O
<i>Artemisia japonica</i> Thunb.	제비쭉	O	O			O		O
<i>Artemisia keiskeana</i> Miq.	맑은대쭉	O	O	O		O		O
<i>Artemisia lancea</i> Vaniot	뽕쭉					O		O
<i>Artemisia stolonifera</i> (Maxim.) Kom.	넓은잎외잎쭉		O	O		O	O	O
<i>Aster ageratoides</i> Turcz.	까실쭉부쟁이		O			O	O	O
<i>Aster hispidus</i> Thunb.	갯쭉부쟁이		O			O		
<i>Aster incisus</i> Fisch.	가새쭉부쟁이		O			O		O
<i>Aster pilosus</i> Willd.	미국쭉부쟁이 ^e							O
<i>Aster scaber</i> Thunb.	참취	O	O	O	O	O		O
<i>Aster tataricus</i> L. f.	개미취		O			O		O
<i>Aster yomena</i> (Kitam.) Honda	쭉부쟁이		O	O	O	O		
<i>Atractylodes ovata</i> (Thunb.) DC.	삼주	O	O			O		O
<i>Bidens bipinnata</i> L.	도깨비바늘	O	O	O		O		O
<i>Bidens biternata</i> (Lour.) Merr. & Sherff	털도깨비바늘							O
<i>Bidens frondosa</i> L.	미국가막사리 ^e			O	O			O
<i>Bidens parviflora</i> Willd.	까치발	O				O		
<i>Bidens tripartita</i> L.	가막사리	O	O			O		
<i>Breea segeta</i> (Bunge) Kitam.	조뱅이		O	O	O	O		
<i>Carduus crispus</i> L.	지느러미영경귀 ^e	O	O			O		O
<i>Carpesium abrotanoides</i> L.	담배풀	O	O	O	O	O		O
<i>Carpesium divaricatum</i> Siebold & Zucc.	긴담배풀	O				O		O
<i>Carpesium triste</i> Maxim.	두메담배풀					O		O
<i>Centipeda minima</i> (L.) A. Braun & Aschers.	중대가리풀	O	O			O		
<i>Cirsium japonicum</i> var. <i>maackii</i> (Regel) Kitam.	영경귀	O		O	O	O		O
<i>Cirsium pendulum</i> Fisch. ex DC.	큰영경귀 ^b					O		
<i>Cirsium setidens</i> (Dunn) Nakai	고려영경귀 ^{a,b,c}	O	O			O	O	
<i>Conyza bonariensis</i> (L.) Cronquist	실망초 ^e	O	O	O		O		
<i>Conyza canadensis</i> (L.) Cronquist	망초 ^e	O	O			O		O
<i>Crepidiastrum chelidoniifolium</i> (Makino) Pak & Kawano	까치고들빼기					O		
<i>Crepidiastrum denticulatum</i> (Houtt.) Pak & Kawano	이고들빼기	O	O	O	O	O	O	O
<i>Crepidiastrum sonchifolium</i> (Bunge) Pak & Kawano	고들빼기	O	O			O		O
<i>Dendranthema boreale</i> (Makino) Ling	산국 ^e	O	O	O	O	O		O
<i>Dendranthema zawadskii</i> (Herbich) Tzvelev	산구절초	O	O			O		O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Dendranthema zawadskii</i> var. <i>latilobum</i> (Maxim.) Kitam.	구절초	O	O			O		O
<i>Echinops setifer</i> Iljin	절굿대 ^c							O
<i>Eclipta prostrata</i> (L.) L.	한련초							O
<i>Erechtites hieracifolia</i> (L.) Raf. ex DC.	붉은서나물 ^e			O		O		O
<i>Erigeron annuus</i> (L.) Pers.	개망초 ^e	O	O	O	O	O		O
<i>Eupatorium japonicum</i> Thunb.	등골나물	O	O	O	O	O		O
<i>Eupatorium lindleyanum</i> DC.	골등골나물			O		O		
<i>Eupatorium makinoi</i> var. <i>oppositifolium</i> (Koidz.) Kawah. & Yahara	별등골나물	O	O			O		O
<i>Hemistepta lyrata</i> Bunge	지칭개	O	O	O		O		O
<i>Hieracium umbellatum</i> L.	조밥나물	O	O			O		O
<i>Inula britannica</i> var. <i>japonica</i> (Thunb.) Franch. & Sav.	금불초	O	O	O		O		
<i>Ixeridium dentatum</i> (Thunb.) Tzvelev	씀바귀	O	O	O	O	O		O
<i>Ixeris chinensis</i> subsp. <i>strigosa</i> (H. Lév. & Vaniot) Kitam.	선씀바귀		O			O		
<i>Ixeris polycephala</i> Cass.	별씀바귀	O	O	O		O		
<i>Lactuca indica</i> L.	왕고들빼기	O	O	O	O	O		O
<i>Lactuca raddeana</i> Maxim.	산씀바귀	O		O				O
<i>Lactuca triangulata</i> Maxim.	두메고들빼기					O		O
<i>Leibnitzia anandria</i> (L.) Turcz.	숨나물	O	O	O	O	O		O
<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.	머위	O	O			O		O
<i>Picris hieracioides</i> subsp. <i>japonica</i> (Thunb.) Hand.-Mazz.	쇠서나물	O				O		O
<i>Pseudognaphalium affine</i> (D. Don) Anderb.	떡쭈	O	O			O		O
<i>Rhaponticum uniflorum</i> (L.) DC.	뼈꼭채 ^{b,c}		O			O		
<i>Saussurea grandifolia</i> Maxim.	서덜취	O				O		
<i>Senecio vulgaris</i> L.	개쭈갓 ^e			O				O
<i>Sigesbeckia glabrescens</i> (Makino) Makino	진득찰		O			O		O
<i>Sigesbeckia pubescens</i> (Makino) Makino	털진득찰							O
<i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H. Hara	미역취 ^c	O	O	O	O	O		O
<i>Sonchus asper</i> (L.) Hill	큰방가지뚥 ^e			O	O			O
<i>Sonchus brachyotus</i> DC.	사데풀		O			O		
<i>Sonchus oleraceus</i> L.	방가지뚥 ^e	O	O			O		
<i>Syneilesis aconitifolia</i> (Bunge) Maxim.	애기우산나물 ^b					O		
<i>Syneilesis palmata</i> (Thunb.) Maxim.	우산나물 ^c	O	O		O	O		O
<i>Symurus deltooides</i> (Aiton) Nakai	수리취	O	O	O		O		
<i>Taraxacum coreanum</i> Nakai	흰민들레			O	O	O		O
<i>Taraxacum officinale</i> F. H. Wigg.	서양민들레 ^e				O	O		
<i>Taraxacum platycarpum</i> Dahlst.	민들레	O	O			O		
<i>Tephrosieris kirilowii</i> (Turcz. ex DC.) Holub	솜방망이	O	O	O	O	O		O
<i>Xanthium strumarium</i> L.	도꼬마리 ^e	O	O			O		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
Campanulaceae 초롱꽃과								
<i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq.	모시대	O	O	O		O		
<i>Adenophora triphylla</i> var. <i>japonica</i> (Regel) H. Hara	잔대	O	O	O	O	O		
<i>Adenophora verticillata</i> Fisch.	층층잔대			O				
<i>Asyneuma japonicum</i> (Miq.) Briq.	영아자		O	O	O	O		O
<i>Campanula punctata</i> Lam.	초롱꽃 ^b		O	O		O		O
<i>Codonopsis lanceolata</i> (Siebold & Zucc.) Trautv.	더덕 ^c	O	O			O		
<i>Lobelia sessilifolia</i> Lamb.	숫잔대 ^b	O						
<i>Platycodon grandiflorum</i> (Jacq.) A. DC.	도라지 ^c	O				O		
Brassicaceae 십자화과								
<i>Arabis glabra</i> (L.) Bernh.	장대나물	O	O			O		O
<i>Arabis hirsuta</i> (L.) Scop.	털장대	O	O			O		
<i>Barbarea orthoceras</i> Ledeb.	나도냉이	O	O			O		O
<i>Berteroella maximowiczii</i> (Palib.) O. E. Schulz	장대냉이	O	O			O		
<i>Capsella bursa-pastoris</i> (L.) Medik.	냉이	O	O	O	O	O		O
<i>Cardamine fallax</i> (O. E. Schulz) Nakai	좁쌀냉이	O	O			O		O
<i>Cardamine flexuosa</i> With.	황새냉이	O	O	O	O	O	O	O
<i>Cardamine impatiens</i> L.	짜리냉이					O		
<i>Cardamine leucantha</i> (Tausch) O. E. Schulz	미나리냉이 ^c	O	O	O	O	O	O	O
<i>Cardamine scutata</i> Thunb.	큰황새냉이							O
<i>Dontostemon dentatus</i> (Bunge) Ledeb.	가는장대	O	O			O		
<i>Draba nemorosa</i> L.	꽃다지	O	O	O	O	O	O	O
<i>Lepidium apetalum</i> Willd.	다닥냉이 ^c	O	O			O		
<i>Lepidium virginicum</i> L.	콩다닥냉이 ^c							O
<i>Rorippa indica</i> (L.) Hiern	개갓냉이	O		O		O		O
<i>Rorippa palustris</i> (L.) Besser	속속이풀	O	O			O		
<i>Thlaspi arvense</i> L.	말냉이 ^c	O	O			O		O
Amaranthaceae 비름과								
<i>Achyranthes bidentata</i> var. <i>japonica</i> Miq.	쇠무릎	O	O	O	O	O	O	O
<i>Amaranthus lividus</i> L.	개비름 ^c					O		
<i>Amaranthus mangostanus</i> L.	비름		O			O		O
<i>Amaranthus retroflexus</i> L.	털비름 ^c	O		O				O
Caryophyllaceae 석죽과								
<i>Arenaria serpyllifolia</i> L.	벼룩이자리	O	O		O	O		O
<i>Cerastium fontanum</i> subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet	점나도나물	O	O	O	O	O		O
<i>Dianthus chinensis</i> L.	패랭이꽃 ^c	O	O	O	O	O		O
<i>Lychnis cognata</i> Maxim.	동자꽃 ^{b,c}		O	O	O	O		O
<i>Pseudostellaria davidii</i> (Franch.) Pax	덩굴개별꽃		O			O		
<i>Pseudostellaria heterophylla</i> (Miq.) Pax	개별꽃		O		O	O	O	O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Sagina japonica</i> (Sw.) Ohwi	개미자리		O	O	O	O		O
<i>Silene aprica</i> Turcz. ex Fisch. & C. A. Mey.	에기장구채							O
<i>Silene armeria</i> L.	끈끈이대나물 ^e							O
<i>Silene firma</i> Siebold & Zucc.	장구채	O	O	O		O		O
<i>Silene seoulensis</i> Nakai	가는장구채	O	O	O	O	O		O
<i>Stellaria alsine</i> var. <i>undulata</i> (Thunb.) Ohwi	벼룩나물	O	O	O		O	O	
<i>Stellaria aquatica</i> (L.) Scop.	쇠별꽃		O			O		O
<i>Stellaria media</i> (L.) Vill.	별꽃	O	O	O	O	O		O
Chenopodiaceae 명아주과								
<i>Chenopodium album</i> L.	명아주	O	O	O	O	O		O
<i>Chenopodium ficifolium</i> Sm.	좁명아주 ^e	O				O		O
<i>Kochia scoparia</i> (L.) Schrad.	땃싸리	O	O			O		
Molluginaceae 석류풀과								
<i>Mollugo stricta</i> L.	석류풀	O	O			O		O
Phytolaccaceae 자리공과								
<i>Phytolacca americana</i> L.	미국자리공 ^e		O			O		O
Portulacaceae 쇠비름과								
<i>Portulaca oleracea</i> L.	쇠비름	O	O			O		O
Celastraceae 노박덩굴과								
<i>Celastrus flagellaris</i> Rupr.	푼지나무		O			O		
<i>Celastrus orbiculatus</i> Thunb.	노박덩굴	O	O	O	O	O		O
<i>Euonymus alatus</i> (Thunb.) Siebold	화살나무 ^c	O	O			O		
<i>Euonymus alatus</i> f. <i>ciliatodentatus</i> Hiyama	회잎나무	O	O			O		O
<i>Euonymus hamiltonianus</i> Wall.	참빗살나무 ^c					O		O
<i>Euonymus japonicus</i> Thunb.	사철나무 ^{b,c}		O			O		
<i>Euonymus oxyphyllus</i> Miq.	참회나무	O	O	O	O	O		O
<i>Euonymus sachalinensis</i> (F. Schmidt) Maxim.	회나무 ^b		O			O		
<i>Tripterygium regelii</i> Sprague & Takeda	미역줄나무 ^b					O		
Alangiaceae 박취나무과								
<i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi	박취나무	O	O	O	O	O		O
Cornaceae 층층나무과								
<i>Cornus controversa</i> Hemsl.	층층나무	O	O	O	O	O		O
<i>Cornus kousa</i> F. Buerger ex Miq.	산딸나무 ^c	O	O	O	O	O		O
<i>Cornus macrophylla</i> Wall.	곰의말채나무							O
<i>Cornus officinalis</i> Siebold & Zucc.	산수유	O	O			O		
<i>Cornus walteri</i> Wangerin	말채나무	O						O
Adoxaceae 연복초과								
<i>Adoxa moschatellina</i> L.	연복초 ^{b,c}			O	O		O	O
<i>Sambucus williamsii</i> Hance	딱총나무 ^c	O	O	O	O	O	O	O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
Caprifoliaceae 인동과								
<i>Lonicera harai</i> Makino	길마가지나무							0
<i>Lonicera japonica</i> Thunb.	인동	0	0	0	0	0		0
<i>Lonicera maackii</i> (Rupr.) Maxim.	괴불나무 ^{b,c}	0				0		0
<i>Lonicera praeflorens</i> Batal	올괴불나무		0			0		0
Diervillaceae 병꽃나무과								
<i>Weigela florida</i> (Bunge) A. DC.	붉은병꽃나무 ^{b,c}	0				0		
<i>Weigela subsessilis</i> (Nakai) L. H. Bailey	병꽃나무 ^{a,c}	0	0	0	0	0	0	0
Valerianaceae 마타리과								
<i>Patrinia scabiosifolia</i> Fisch. ex Trevir.	마타리	0	0	0	0	0		0
<i>Patrinia villosa</i> (Thunb.) Juss.	뚝갈	0	0	0	0	0		0
<i>Valeriana fauriei</i> Briq.	쥐오줌풀	0	0	0	0	0	0	
Viburnaceae 산분꽃나무과								
<i>Viburnum dilatatum</i> Thunb.	가막살나무			0	0			0
<i>Viburnum erosum</i> Thunb.	덜꿩나무 ^c		0			0		0
Ebenaceae 감나무과								
<i>Diospyros kaki</i> Thunb.	감나무	0	0	0		0		
<i>Diospyros lotus</i> L.	고욤나무	0	0			0	0	0
Styracaceae 때죽나무과								
<i>Styrax japonicus</i> Siebold & Zucc.	때죽나무 ^c	0	0	0	0	0		0
<i>Styrax obassia</i> Siebold & Zucc.	쪽동백나무 ^c	0	0	0	0	0		0
Symplocaceae 노린재나무과								
<i>Symplocos sawafutagi</i> Nagam.	노린재나무 ^c	0	0			0		0
Ericaceae 진달래과								
<i>Rhododendron mucronulatum</i> Turcz.	진달래	0	0	0	0	0	0	0
<i>Rhododendron schlippenbachii</i> Maxim.	철쭉 ^c	0	0	0	0	0	0	0
<i>Rhododendron yedoense</i> f. <i>poukhanense</i> (H. Lévl.) M. Sugim.	산철쭉 ^c	0	0			0		
<i>Vaccinium oldhamii</i> Miq.	정금나무 ^{b,c}	0	0			0		
Monotropaceae 수정난풀과								
<i>Monotropa uniflora</i> L.	수정난풀 ^{b,c,d}							0
Pyrolaceae 노루발과								
<i>Chimaphila japonica</i> Miq.	매화노루발			0				
<i>Pyrola japonica</i> Klentze ex Alef.	노루발	0	0		0	0		0
Buxaceae 회양목과								
<i>Buxus microphylla</i> var. <i>koreana</i> Nakai ex Rehder	회양목 ^{b,c}		0			0		
Euphorbiaceae 대극과								
<i>Acalypha australis</i> L.	깨풀	0	0			0		0
<i>Euphorbia humifusa</i> Willd	땅빈대					0		
<i>Euphorbia pekinensis</i> Boiss.	대극 ^b	0						

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Euphorbia sieboldiana</i> C. Morren & Decne.	개감수	0	0	0	0	0		0
<i>Flueggea suffruticosa</i> (Pall.) Baill.	광대싸리	0	0	0	0	0	0	0
<i>Phyllanthus ussuriensis</i> Rupr. & Maxim.	여우주머니	0	0			0		
Fabaceae 콩과								
<i>Aeschynomene indica</i> L.	자귀풀					0		
<i>Albizia julibrissin</i> Durazz.	자귀나무	0	0	0	0	0		0
<i>Amorpha fruticosa</i> L.	죽재비싸리 ^o	0		0	0	0		0
<i>Amphicarpaea bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H. Ohashi	새콩		0	0		0		0
<i>Campylotropis macrocarpa</i> (Bunge) Rehder	꽃싸리 ^b		0			0		
<i>Chamaecrista nomame</i> (Siebold) H. Ohashi	차풀	0	0	0		0		0
<i>Crotalaria sessiliflora</i> L.	활나물	0				0		
<i>Glycine soja</i> Siebold & Zucc.	돌콩 ^c		0	0	0	0		
<i>Hylodesmum podocarpum</i> (DC.) H. Ohashi & R.R. Mill	개도독놈의 갈고리	0						
<i>Hylodesmum podocarpum</i> subsp. <i>oxyphyllum</i> (DC.) H. Ohashi & R.R. Mill	도독놈의 갈고리	0	0	0	0	0		0
<i>Indigofera kirilowii</i> Maxim. ex Palib.	땅비싸리	0	0	0	0	0		0
<i>Kummerowia striata</i> (Thunb.) Schindl.	매듭풀	0	0	0	0	0		0
<i>Lathyrus davidii</i> Hance	활랑나물	0	0			0		0
<i>Lespedeza bicolor</i> Turcz.	싸리 ^e	0	0	0	0	0	0	0
<i>Lespedeza cuneata</i> (Dum. Cours.) G. Don.	비수리 ^e	0	0			0		0
<i>Lespedeza cyrtobotrya</i> Miq.	참싸리				0	0		0
<i>Lespedeza maximowiczii</i> C. K. Schneid.	조록싸리	0	0	0	0	0		0
<i>Lespedeza thunbergii</i> (DC.) Nakai	풀싸리	0	0	0		0		
<i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim.	개싸리	0						0
<i>Maackia amurensis</i> Rupr.	다릅나무		0			0		
<i>Medicago sativa</i> L.	자주개자리 ^e							0
<i>Pueraria lobata</i> (Willd.) Ohwi	췌	0	0	0	0	0		0
<i>Robinia pseudoacacia</i> L.	아까시나무 ^e	0	0			0		0
<i>Sophora flavescens</i> Aiton	고삼	0	0	0	0	0		0
<i>Trifolium pratense</i> L.	붉은토끼풀 ^e					0		
<i>Trifolium repens</i> L.	토끼풀 ^e	0	0	0	0	0		0
<i>Vicia amoena</i> Fisch. ex Ser.	갈퀴나물	0				0		0
<i>Vicia amurensis</i> Oett.	벌완두		0	0		0		
<i>Vicia chosonensis</i> Ohwi	노랑갈퀴 ^{a,b,c}	0	0			0		
<i>Vicia hirsuta</i> (L.) Gray	새완두		0			0		
<i>Vicia japonica</i> A. Gray	넓은잎갈퀴					0		
<i>Vicia nipponica</i> Matsum.	네잎갈퀴나물							0
<i>Vicia sativa</i> subsp. <i>nigra</i> (L.) Ehrh.	가는살갈퀴							0

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Vicia unijuga</i> A. Braun	나비나물	O	O			O		O
<i>Vicia venosa</i> var. <i>cuspidata</i> Maxim.	광릉갈퀴			O	O	O		O
<i>Vigna angularis</i> var. <i>nipponensis</i> (Ohwi) Ohwi & H. Ohashi	새팥					O		
<i>Vigna minima</i> (Roxb.) Ohwi & H. Ohashi	좁돌팥							O
Betulaceae 자작나무과								
<i>Alnus hirsuta</i> Turcz. ex Rupr.	물오리나무		O	O	O	O		O
<i>Alnus japonica</i> (Thunb.) Steud.	오리나무 ^b	O	O			O		
<i>Carpinus cordata</i> Blume	까치박달		O			O		O
<i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume	서어나무	O	O			O		O
<i>Corylus heterophylla</i> Fisch. ex Trautv.	개암나무	O	O	O	O	O		O
<i>Corylus sieboldiana</i> var. <i>mandshurica</i> (Maxim.) C. K. Schneid.	물개암나무	O						O
Fagaceae 참나무과								
<i>Castanea crenata</i> Siebold & Zucc.	밤나무	O	O	O	O	O		O
<i>Quercus × dentatomongolica</i> Nakai	떡신갈나무					O		
<i>Quercus acutissima</i> Carruth.	상수리나무	O	O			O		O
<i>Quercus aliena</i> Blume	갈참나무	O	O	O	O	O	O	O
<i>Quercus dentata</i> Thunb.	떡갈나무		O	O	O	O		O
<i>Quercus mongolica</i> Fisch. ex Ledeb.	신갈나무	O	O			O		O
<i>Quercus serrata</i> Murray	졸참나무		O	O	O	O	O	O
<i>Quercus variabilis</i> Blume	굴참나무	O	O	O	O	O		O
Asclepiadaceae 박주가리과								
<i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum.	민백미꽃 ^b	O	O	O	O	O		O
<i>Cynanchum atratum</i> Bunge	백미꽃 ^c	O				O		
<i>Cynanchum nipponicum</i> var. <i>glabrum</i> (Nakai) H. Hara	흑박주가리 ^b					O		
<i>Cynanchum paniculatum</i> (Bunge) Kitag.	산해박			O				
<i>Cynanchum wilfordii</i> (Maxim.) Hemsl.	큰조롱 ^c					O		
<i>Metaplexis japonica</i> (Thunb.) Makino	박주가리	O	O	O	O	O		O
<i>Tylophora floribunda</i> Miq.	왜박주가리 ^{b,d}							O
Gentianaceae 용담과								
<i>Gentiana scabra</i> Bunge	용담 ^c	O				O		O
<i>Gentiana triflora</i> Pall.	과남풀 ^c	O						
<i>Gentiana zollingeri</i> Fawc.	큰구슬봉이	O		O	O		O	O
Balsaminaceae 봉선화과								
<i>Impatiens nolitangere</i> L.	노랑물봉선 ^b		O	O	O	O	O	
<i>Impatiens textori</i> Miq.	물봉선 ^c	O	O	O	O	O		O
Geraniaceae 쥐손이풀과								
<i>Geranium koreanum</i> Kom.	등근이질풀 ^{b,c}							O
<i>Geranium sibiricum</i> L.	쥐손이풀	O	O			O		O
<i>Geranium thunbergii</i> Siebold ex Lindl. & Paxton	이질풀 ^c		O	O	O	O	O	O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Geranium wilfordii</i> Maxim.	세잎취손이		O	O	O	O		O
Oxalidaceae 팽이밥과								
<i>Oxalis corniculata</i> L.	팽이밥	O	O	O	O	O		O
<i>Oxalis obtriangulata</i> Maxim.	큰팽이밥					O		
Schisandraceae 오미자과								
<i>Schisandra chinensis</i> (Turcz.) Baill.	오미자 ^{b,c}		O			O		
Juglandaceae 가래나무과								
<i>Juglans mandshurica</i> Maxim.	가래나무 ^b					O		
<i>Platycarya strobilacea</i> Siebold & Zucc.	굴피나무		O	O	O	O		O
Boraginaceae 지치과								
<i>Lithospermum erythrorhizon</i> Siebold & Zucc.	지치 ^{c,d}	O						
<i>Trigonotis peduncularis</i> (Trevir.) Steven ex Palib.	꽃마리	O	O		O	O		O
<i>Trigonotis radicans</i> var. <i>sericea</i> Thunb.	참꽃마리	O	O	O	O	O		O
Lamiaceae 꿀풀과								
<i>Agastache rugosa</i> (Fisch. & C. A. Mey.) Kuntze	배초향					O		O
<i>Ajuga spectabilis</i> Nakai	자란초 ^{a,b,c}	O	O			O		
<i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H. Hara	층층이꽃	O	O			O		O
<i>Clinopodium chinense</i> var. <i>shibetchense</i> (H. Lév.) Koidz.	산층층이							O
<i>Clinopodium gracile</i> (Benth.) Matsum.	애기탑꽃							O
<i>Clinopodium micranthum</i> (Regel) H. Hara	두메층층이							O
<i>Elsholtzia ciliata</i> (Thunb.) H. Hyl.	향유		O	O	O	O		O
<i>Elsholtzia splendens</i> Nakai ex F. Maek.	꽃향유			O		O	O	O
<i>Glechoma grandis</i> (A. Gray) Kuprian.	긴병꽃풀 ^c						O	O
<i>Isodon excisus</i> (Maxim.) Kudô	오리방풀		O			O		
<i>Isodon inflexus</i> (Thunb.) Kudô	산박하	O	O	O	O	O		O
<i>Isodon japonicus</i> (Burm. f.) H. Hara	방아풀			O	O			O
<i>Isodon serra</i> (Maxim.) Kudô	자주방아풀		O			O		
<i>Lamium album</i> var. <i>barbatum</i> (Siebold & Zucc.) Franch. & Sav.	광대수염	O	O	O	O	O		O
<i>Lamium amplexicaule</i> L.	광대나물	O	O	O	O	O	O	O
<i>Lamium purpureum</i> L.	자주광대나물 ^e							O
<i>Leonurus japonicus</i> Houtt.	익모초	O	O	O	O	O		O
<i>Leonurus macranthus</i> Maxim.	송장풀	O				O		O
<i>Lycopus lucidus</i> Turcz. ex Benth.	쉽싸리		O			O		O
<i>Meehania urticifolia</i> (Miq.) Makino	별개덩굴		O	O	O	O	O	O
<i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim.	취개풀		O			O		O
<i>Mosla japonica</i> (Benth. ex Oliv.) Maxim.	산들개 ^d					O		
<i>Mosla punctulata</i> (J. F. Gmel.) Nakai	들개풀	O	O			O		
<i>Phlomis umbrosa</i> Turcz.	속단					O		O
<i>Prunella asiatica</i> Nakai	꿀풀 ^e	O	O	O	O	O		O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Salvia plebeia</i> R. Br.	배암차즈기							0
<i>Scutellaria indica</i> L.	골무꽃	0	0	0	0	0		0
<i>Scutellaria insignis</i> Nakai	광릉골무꽃 ^{a,b,c}			0	0			
<i>Scutellaria pekinensis</i> var. <i>transitra</i> (Makino) H. Hara	산골무꽃	0						0
<i>Stachys japonica</i> Miq.	석잠풀	0	0			0		
<i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H. Hara	덩굴곽향							0
Phrymaceae 파리풀과								
<i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda	파리풀		0	0	0	0		0
Verbenaceae 마편초과								
<i>Callicarpa japonica</i> Thunb.	작살나무	0	0	0	0	0	0	0
<i>Clerodendrum trichotomum</i> Thunb.	누리장나무 ^c	0	0	0	0	0	0	0
<i>Tripora divaricata</i> (Maxim.) P.D. Cantino	누린내풀	0	0			0		
Lauraceae 녹나무과								
<i>Lindera erythrocarpa</i> Makino	비목나무 ^b	0	0	0	0	0		0
<i>Lindera glauca</i> (Siebold & Zucc.) Blume	감태나무 ^b	0	0			0		0
<i>Lindera obtusiloba</i> Blume	생강나무	0	0	0	0	0	0	0
Magnoliaceae 목련과								
<i>Magnolia sieboldii</i> K. Koch	함박꽃나무 ^{b,c}	0				0		
Tiliaceae 피나무과								
<i>Corchoropsis tomentosa</i> (Thunb.) Makino	수까치개	0	0	0	0	0		0
<i>Tilia amurensis</i> Rupr.	피나무 ^{b,c}		0			0		
<i>Tilia mandshurica</i> Rupr. & Maxim.	찰피나무 ^b					0		0
<i>Triumfetta japonica</i> Makino	고슴도치풀							0
Lythraceae 부처꽃과								
<i>Lythrum anceps</i> (Koehne) Makino	부처꽃					0		
Onagraceae 바늘꽃과								
<i>Circaea canadensis</i> subsp. <i>quadrisulcata</i> (Maxim.) Boufford	말털이슬 ^b		0			0		
<i>Circaea cordata</i> Royle	쇠털이슬 ^b			0	0	0		0
<i>Circaea mollis</i> Siebold & Zucc.	털이슬	0	0			0		
<i>Oenothera biennis</i> L.	달맞이꽃 ^e	0	0	0	0	0		0
Trapaceae 마름과								
<i>Trapa japonica</i> Flerow	마름					0		
Fumariaceae 현호색과								
<i>Corydalis ambigua</i> Cham. & Schtdl.	왜현호색 ^b	0			0			0
<i>Corydalis pauciovulata</i> Ohwi	선괴불주머니	0	0	0		0	0	0
<i>Corydalis remota</i> Fisch. ex Maxim.	현호색		0	0	0	0	0	0
<i>Corydalis speciosa</i> Maxim.	산괴불주머니	0	0	0	0	0	0	0
<i>Corydalis ternata</i> (Nakai) Nakai	들현호색			0	0			
<i>Dicentra spectabilis</i> (L.) Lem.	금낭화 ^{b,c}					0		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
Papaveraceae 양귀비과								
<i>Chelidonium majus</i> var. <i>asiaticum</i> (H. Hara) Ohwi	애기똥풀	O	O	O	O	O		O
<i>Hylomecon vernalis</i> Maxim.	피나물 ^{b,c}			O	O	O	O	O
Chloranthaceae 홀아비꽃대과								
<i>Chloranthus japonicus</i> Siebold	홀아비꽃대 ^b	O		O	O	O		O
Plantaginaceae 질경이과								
<i>Plantago asiatica</i> L.	질경이	O	O		O	O		O
<i>Plantago depressa</i> Willd.	털질경이			O				
Polygonaceae 마디풀과								
<i>Aconogonon alpinum</i> (All.) Schkuhr	싱아	O	O	O	O	O		O
<i>Fallopia dentatoalata</i> (F. Schmidt) Holub	큰닭의덩굴 ^e					O		O
<i>Fallopia dumetorum</i> (L.) Holub	닭의덩굴 ^e		O			O		
<i>Persicaria conspicua</i> (Nakai) Nakai ex T. Mori	꽃여뀌					O		
<i>Persicaria dissitiflora</i> (Hemsl.) H. Gross ex T. Mori	가시여뀌					O		
<i>Persicaria filiformis</i> (Thunb.) Nakai ex T. Mori	이삭여뀌	O	O	O	O	O		O
<i>Persicaria hydropiper</i> (L.) Delarbre	여뀌	O	O	O		O		
<i>Persicaria japonica</i> (Meisn.) H. Gross ex Nakai	흰꽃여뀌		O			O		
<i>Persicaria lapathifolia</i> (L.) Delarbre	흰여뀌			O				O
<i>Persicaria longiseta</i> (Bruijn) Kitag.	개여뀌	O	O	O	O	O	O	O
<i>Persicaria nepalensis</i> (Meisn.) H. Gross	산여뀌			O	O	O		
<i>Persicaria orientalis</i> (L.) Spach	털여뀌 ^e					O		
<i>Persicaria perfoliata</i> (L.) H. Gross	머느리배꼽	O	O			O		O
<i>Persicaria posumbu</i> (Buch.-Ham. ex D. Don) H. Gross	장대여뀌	O		O	O		O	O
<i>Persicaria pubescens</i> (Blume) H. Hara	바보여뀌					O		
<i>Persicaria sagittata</i> var. <i>sieboldii</i> (Meisn.) Nakai	미꾸리닭시			O	O	O		O
<i>Persicaria senticososa</i> (Meisn.) H. Gross ex Nakai	머느리밑씻개	O	O	O	O	O		O
<i>Persicaria thunbergii</i> (Siebold & Zucc.) H. Gross	고마리	O	O	O	O	O		O
<i>Persicaria viscofera</i> (Makino) H. Gross	끈끈이여뀌	O	O			O		O
<i>Persicaria viscosa</i> (Buch.-Ham. ex D. Don) H. Gross ex T. Mori	기생여뀌					O		
<i>Polygonum aviculare</i> L.	마디풀	O	O	O	O	O		O
<i>Rumex acetosa</i> L.	수영	O	O	O	O	O		O
<i>Rumex crispus</i> L.	소리쟁이 ^e	O	O			O		O
<i>Rumex japonicus</i> Houtt.	참소리쟁이							O
Primulaceae 앵초과								
<i>Androsace umbellata</i> (Lour.) Merr.	봄맞이꽃	O	O	O	O	O		O
<i>Lysimachia barystachys</i> Bunge	까치수염 ^{b,c}	O	O			O		
<i>Lysimachia clethroides</i> Duby	큰까치수염	O	O	O	O	O		O
<i>Lysimachia davurica</i> Ledeb.	좁쌀풀 ^b	O				O		
<i>Primula sieboldii</i> E. Morren	앵초 ^{b,c}			O	O			O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
Lardizabalaceae 으름덩굴과								
<i>Akebia quinata</i> (Houtt.) Decne.	으름덩굴	O	O	O	O	O		O
Menispermaceae 새모래덩굴과								
<i>Cocculus trilobus</i> (Thunb.) DC.	댕댕이덩굴	O	O		O	O		O
<i>Menispermum dauricum</i> DC.	새모래덩굴	O	O			O		O
Ranunculaceae 미나리아재비과								
<i>Aconitum jaluense</i> Kom.	투구꽃 ^b			O	O	O		O
<i>Aconitum longecassidatum</i> Nakai	흰진범 ^{b,c}			O	O	O		O
<i>Aconitum pseudolaeve</i> Nakai	진범 ^{a,c}		O			O		
<i>Actaea asiatica</i> H. Hara	노루삼 ^b	O	O			O	O	
<i>Adonis amurensis</i> Regel & Radde	복수초 ^c		O	O	O	O	O	
<i>Anemone raddeana</i> Regel	평의바람꽃			O	O	O	O	
<i>Clematis apiifolia</i> DC.	사위질빵	O	O	O	O	O	O	O
<i>Clematis heracleifolia</i> DC.	자주조희풀	O	O			O		O
<i>Clematis heracleifolia</i> var. <i>urticifolia</i> (Nakai ex Kitag.) U.C.La	병조희풀 ^b	O				O	O	O
<i>Clematis patens</i> C. Morren & Decne.	큰꽃으아리 ^{b,c}	O	O	O		O		O
<i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi	으아리	O	O	O	O	O		
<i>Clematis trichotoma</i> Nakai	할미밀망 ^{a,c}	O	O	O	O	O		O
<i>Eranthis stellata</i> Maxim.	너도바람꽃 ^{b,c}					O		
<i>Hepatica asiatica</i> Nakai	노루귀 ^{b,c}	O	O	O	O	O		O
<i>Isopyrum manshuricum</i> Kom.	만주바람꽃 ^{b,c,d}			O	O		O	
<i>Pulsatilla cernua</i> (Thunb.) Bercht. & J. Presl	할미꽃 ^c	O	O			O		
<i>Ranunculus chinensis</i> Bunge	젓가락나물	O	O	O	O	O		O
<i>Ranunculus japonicus</i> Thunb.	미나리아재비	O	O			O		
<i>Ranunculus sceleratus</i> L.	개구리자리					O		
<i>Ranunculus tachiroei</i> Franch. & Sav.	개구리미나리	O						
<i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> Nakai	은평의다리 ^{a,c}					O		
<i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling	평의다리	O	O	O		O		
<i>Thalictrum filamentosum</i> Maxim.	산평의다리		O			O		O
<i>Thalictrum minus</i> var. <i>hypoleucum</i> (Siebold & Zucc.) Miq.	좁평의다리	O		O	O	O		
Rhamnaceae 갈매나무과								
<i>Hovenia dulcis</i> Thunb.	헛개나무 ^{b,c}					O		
<i>Rhamnus rugulosa</i> Hemsl.	털갈매나무 ^c							O
Vitaceae 포도과								
<i>Ampelopsis brevipedunculata</i> (Maxim.) Trautv.	개머루	O	O			O		O
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.	담쟁이덩굴	O	O	O	O	O		O
<i>Vitis amurensis</i> Rupr.	왕머루 ^c	O	O			O		O
<i>Vitis coignetiae</i> Pulliat ex Planch.	머루 ^b		O			O		
<i>Vitis ficifolia</i> var. <i>simuata</i> (Regel) H. Hara	까마귀머루		O			O		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Vitis flexuosa</i> Thunb.	새머루	O	O			O		O
Crassulaceae 돌나물과								
<i>Hylotelephium erythrostictum</i> (Miq.) H. Ohba	평의비름 ^c					O		
<i>Hylotelephium spectabile</i> (Boreau) H. Ohba	큰평의비름 ^b					O		O
<i>Orostachys japonica</i> (Maxim.) A. Berger	바위솔 ^c	O	O			O		
<i>Sedum aizoon</i> L.	가는기린초	O	O			O		O
<i>Sedum bulbiferum</i> Makino	말뚝비름	O	O			O		
<i>Sedum kamschaticum</i> Fisch. & C. A. Mey.	기린초 ^c	O	O	O	O	O		O
<i>Sedum polytrichoides</i> Hemsl.	바위채송화 ^c	O	O			O		O
<i>Sedum sarmentosum</i> Bunge	돌나물	O	O	O	O	O		
Grossulariaceae 까치밥나무과								
<i>Ribes fasciculatum</i> var. <i>chinense</i> Maxim.	까마귀밥나무		O	O	O	O		O
Hydrangeaceae 수국과								
<i>Deutzia glabrata</i> Kom.	물참대 ^{b,c}	O				O		
<i>Deutzia parviflora</i> Bunge	말발도리 ^{b,c}	O	O			O		
<i>Deutzia uniflora</i> Shirai	매화말발도리 ^{b,c}			O	O	O		O
<i>Hydrangea serrata</i> var. <i>acuminata</i> (Siebold & Zucc.) Nakai	산수국 ^c		O			O		
<i>Philadelphus schrenkii</i> Rupr.	고광나무 ^{b,c}	O	O			O		
<i>Philadelphus tenuifolius</i> Rupr.	넓은잎고광나무	O	O			O		O
Rosaceae 장미과								
<i>Agrimonia coreana</i> Nakai	산쫄신나물	O		O				O
<i>Agrimonia pilosa</i> Ledeb.	쫄신나물	O	O	O	O	O		O
<i>Duchesnea indica</i> (Andr.) Focke	뱀딸기	O	O	O	O	O		O
<i>Geum aleppicum</i> Jacq.	큰뱀무	O	O	O	O	O		O
<i>Malus sieboldii</i> (Regel) Rehder	아그배나무	O		O				
<i>Potentilla chinensis</i> Ser.	딱지꽃	O	O	O		O		
<i>Potentilla cryptotaeniae</i> Maxim.	물양지꽃 ^b	O				O		
<i>Potentilla dickinsii</i> Franch. & Sav.	돌양지꽃 ^{b,c}		O			O		O
<i>Potentilla fragarioides</i> L.	양지꽃	O	O		O	O	O	O
<i>Potentilla freyniana</i> Bornm.	세잎양지꽃	O	O			O		O
<i>Potentilla kleiniana</i> Wight & Arn.	가락지나물	O	O	O	O	O		
<i>Potentilla rosulifera</i> H. Lev.	민눈양지꽃 ^b			O				
<i>Potentilla supina</i> L.	개소시랑개비 ^c	O	O			O		
<i>Pourthiaea villosa</i> (Thunb.) Decne.	윤노리나무 ^b	O	O			O		
<i>Prunus davidiana</i> (Carrière) Franch.	산복사 ^b		O			O		O
<i>Prunus jamasakura</i> Siebold ex Koidz.	벗나무	O	O			O		
<i>Prunus japonica</i> var. <i>nakaii</i> (H. Lev.) Rehder	이스라지			O	O	O		
<i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai	잔털벗나무			O	O			O
<i>Pyrus ussuriensis</i> Maxim.	산돌배나무 ^{b,c}	O				O		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Rosa multiflora</i> Thunb.	찔레나무	O	O	O	O	O		O
<i>Rubus coreanus</i> Miq.	북분자딸기 ^c	O	O	O	O	O		O
<i>Rubus crataegifolius</i> Bunge	산딸기	O	O	O	O	O		O
<i>Rubus oldhamii</i> Miq.	줄딸기		O		O	O		
<i>Rubus parvifolius</i> L.	멍석딸기	O	O	O	O	O		O
<i>Rubus phoenicolasius</i> Maxim.	붉은가시딸기		O	O	O	O		O
<i>Sanguisorba officinalis</i> L.	오이풀	O	O	O	O	O		O
<i>Sorbus alnifolia</i> (Siebold & Zucc.) K. Koch	팥배나무 ^c	O	O			O		O
<i>Spiraea prunifolia</i> var. <i>simpliciflora</i> (Nakai) Nakai	조팝나무 ^c	O	O	O	O	O	O	O
<i>Stephanandra incisa</i> (Thunb.) Zabel	국수나무	O	O	O	O	O	O	O
Saxifragaceae 범의귀과								
<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav.	노루오줌 ^c	O	O	O	O	O		O
<i>Astilbe koreana</i> (Kom.) Nakai	속은노루오줌					O		O
<i>Chrysosplenium flagelliferum</i> F. Schmidt	애기괭이눈					O		
<i>Chrysosplenium sphaerospermum</i> Maxim.	큰괭이눈 ^{a,c}			O	O	O		O
<i>Saxifraga fortunei</i> var. <i>alpina</i> (Matsum. & Nakai) Nakai	바위떡풀 ^c	O				O		
Rubiaceae 꼭두선이과								
<i>Galium bungei</i> var. <i>trachyspermum</i> (A. Gray) Cufod.	네잎갈퀴	O	O			O		
<i>Galium dahuricum</i> Turcz. ex Ledeb.	큰잎갈퀴	O	O			O		
<i>Galium kinuta</i> Nakai & H. Hara	민둥갈퀴 ^b					O		
<i>Galium koreanum</i> (Nakai) Nakai	참갈퀴덩굴 ^{a,c}							O
<i>Galium maximowiczii</i> (Kom.) Pobed.	개갈퀴	O	O	O		O		
<i>Galium spurium</i> L.	갈퀴덩굴	O	O			O		O
<i>Galium verum</i> var. <i>asiaticum</i> Nakai	솔나물		O		O	O		
<i>Paederia foetida</i> L.	계요등 ^b		O			O	O	O
<i>Rubia argyi</i> (H. Lev. & Vaniot) H. Hara ex Lauener & D.K. Ferguson	꼭두선이	O	O			O		O
<i>Rubia chinensis</i> Regel & Maack	큰꼭두선이 ^b					O		O
<i>Rubia cordifolia</i> L.	갈퀴꼭두선이		O			O	O	
Salicaceae 버드나무과								
<i>Salix caprea</i> L.	호랑버들		O		O	O		O
<i>Salix chaenomeloides</i> Kimura	왕버들 ^b		O			O		
<i>Salix chaenomeloides</i> var. <i>pilosa</i> (Nakai) Kimura	털왕버들 ^{a,b,c}			O				
<i>Salix gracilistyla</i> Miq.	갯버들	O	O	O	O	O	O	O
<i>Salix pierotii</i> Miq.	버드나무	O	O			O		O
Santalaceae 단향과								
<i>Thesium chinense</i> Turcz.	제비꽃	O	O		O	O		
<i>Viscum coloratum</i> (Kom.) Nakai	겨우살이 ^c					O		
Aceraceae 단풍나무과								

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Acer pictum</i> var. <i>mono</i> (Maxim.) Franch.	고로쇠나무 ^c	0	0	0	0	0		0
<i>Acer pseudosieboldianum</i> (Pax) Kom.	당단풍나무	0	0	0	0	0		0
<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm.	신나무 ^c	0	0	0	0	0		0
Anacardiaceae 웃나무과								
<i>Rhus javanica</i> L.	붉나무	0	0	0	0	0		0
<i>Toxicodendron trichocarpum</i> (Miq.) Kuntze	개웃나무	0	0	0	0	0		0
Rutaceae 윤향과								
<i>Dictamnus dasycarpus</i> Turcz.	백선 ^{b,c}	0	0	0	0	0		
<i>Zanthoxylum piperitum</i> DC.	초피나무 ^c	0	0	0	0	0		0
<i>Zanthoxylum schinifolium</i> Siebold & Zucc.	산초나무 ^c	0	0	0	0	0	0	0
Simaroubaceae 소테나무과								
<i>Ailanthus altissima</i> (Mill.) Swingle	가층나무		0			0		0
<i>Picrasma quassioides</i> (D. Don) Benn.	소테나무 ^c	0	0	0	0	0		
Staphyleaceae 고추나무과								
<i>Staphylea bumalda</i> DC.	고추나무	0	0		0	0	0	0
Acanthaceae 퀴꼬리망초과								
<i>Justicia procumbens</i> L.	퀴꼬리망초	0	0			0	0	0
Oleaceae 물푸레나무과								
<i>Fraxinus rhynchophylla</i> Hance	물푸레나무	0	0	0		0		0
<i>Fraxinus sieboldiana</i> Blume	쇠물푸레	0	0	0	0	0		
<i>Ligustrum obtusifolium</i> Siebold & Zucc.	취뽕나무	0	0	0	0	0	0	0
Scrophulariaceae 현삼과								
<i>Lindernia procumbens</i> (Krock.) Borbás	발독외풀			0	0			
<i>Mazus miquelii</i> Makino	누운주름잎					0		
<i>Mazus pumilus</i> (Burm. f.) Steenis	주름잎	0	0	0	0	0		0
<i>Melampyrum roseum</i> Maxim.	꽃머느리밥풀	0	0			0	0	0
<i>Melampyrum roseum</i> var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd	알머느리밥풀	0	0	0		0		0
<i>Pedicularis resupinata</i> L.	송이풀					0		
<i>Phtheirospermum japonicum</i> (Thunb.) Kanitz	나도송이풀		0	0	0	0		0
<i>Pseudolysimachion linariifolium</i> (Pallas ex Link) Holub	꼬리풀	0	0			0		
<i>Scrophularia kakudensis</i> Franch.	큰개현삼 ^b							0
<i>Veronica arvensis</i> L.	선개불알풀 ^c							0
<i>Veronica persica</i> Poir.	큰개불알풀 ^c							0
<i>Veronica polita</i> Fr.	개불알풀			0	0			
Convolvulaceae 메꽃과								
<i>Calystegia hederacea</i> Wall.	에기메꽃	0	0			0		
<i>Calystegia pubescens</i> Lindl.	메꽃	0	0	0	0	0		0
<i>Cuscuta australis</i> R. Br.	실새삼					0		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Cuscuta japonica</i> Choisy.	새삼		O			O		
<i>Ipomoea hederacea</i> Jacq.	미국나팔꽃 ^e							O
<i>Ipomoea nil</i> (L.) Roth	나팔꽃							O
Solanaceae 가지과								
<i>Lycium chinense</i> Mill.	구기자나무		O			O		O
<i>Physaliastrum echatum</i> (Yatabe) Makino	가시파리					O		O
<i>Physalis alkekengi</i> L.	파리	O	O			O		
<i>Scopolia japonica</i> Maxim.	미치광이풀 ^{b,c}			O	O	O	O	O
<i>Solanum japonense</i> Nakai	좁은잎배풍등					O		O
<i>Solanum lyratum</i> Thunb.	배풍등		O	O	O	O		O
<i>Solanum nigrum</i> L.	까마중	O		O	O	O		O
Actinidiaceae 다래나무과								
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.	다래 ^e	O	O			O		O
<i>Actinidia polygama</i> (Siebold & Zucc.) Maxim.	개다래	O	O			O		O
Clusiaceae 물레나물과								
<i>Hypericum ascyron</i> L.	물레나물	O	O	O	O	O		O
<i>Hypericum erectum</i> Thunb.	고추나물		O		O	O		O
Cannabaceae 삼과								
<i>Humulus japonicus</i> Siebold & Zucc.	환삼덩굴	O	O	O	O	O		O
Celtidaceae 팽나무과								
<i>Celtis choseniana</i> Nakai	검팽나무 ^{a,b,c,d}							O
<i>Celtis jessoensis</i> Koidz.	풍계나무					O		
<i>Celtis sinensis</i> Pers.	팽나무	O	O	O		O		
Moraceae 뽕나무과								
<i>Broussonetia × kazinoki</i> Siebold ex Siebold & Zucc.	닥나무 ^{a,c}	O	O			O		
<i>Broussonetia monoica</i> Hance	애기닥나무							O
<i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée	꾸지뽕나무 ^c		O			O		
<i>Morus alba</i> L.	뽕나무	O	O			O		
<i>Morus bombycis</i> Koidz.	산뽕나무	O	O	O	O	O		O
Ulmaceae 느릅나무과								
<i>Hemiptelea davidii</i> (Hance) Planch.	시무나무 ^b		O			O		
<i>Ulmus davidiana</i> var. <i>japonica</i> (Rehder) Nakai	느릅나무 ^b	O	O			O		O
<i>Ulmus parvifolia</i> Jacq.	참느릅나무 ^b							O
<i>Zelkova serrata</i> (Thunb.) Makino	느티나무	O	O	O	O	O	O	O
Urticaceae 쟁기풀과								
<i>Boehmeria gracilis</i> C.H. Wright	풀거북꼬리					O		O
<i>Boehmeria japonica</i> (L. f.) Miq.	왜모시풀							O
<i>Boehmeria platanifolia</i> Franch. & Sav.	개모시풀		O	O		O	O	O
<i>Boehmeria spicata</i> (Thunb.) Thunb.	좁개잎나무	O	O	O	O	O		O

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Boehmeria tricuspis</i> (Hance) Makino	거북꼬리		O	O	O	O		O
<i>Pilea japonica</i> (Maxim.) Hand.-Mazz.	산물통이 ^b	O						
<i>Pilea mongolica</i> Wedd.	모시물통이			O		O		O
<i>Pilea peploides</i> (Gaudich.) Hook. & Arn.	물통이	O	O			O		
<i>Urtica angustifolia</i> Fisch. ex Hornem.	가는잎췌기풀 ^b					O		
<i>Urtica laetevirens</i> Maxim.	애기췌기풀							O
Cucurbitaceae 박과								
<i>Trichosanthes kirilowii</i> Maxim.	하늘타리 ^c	O	O			O		
Violaceae 제비꽃과								
<i>Viola acuminata</i> Ledeb.	졸방제비꽃	O	O	O	O	O	O	O
<i>Viola albida</i> Palib.	태백제비꽃 ^c		O	O	O	O		
<i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F. Maek.	남산제비꽃	O	O	O	O	O		O
<i>Viola albida</i> var. <i>takahashii</i> (Nakai) Nakai	단풍제비꽃					O		
<i>Viola collina</i> Besser	등근털제비꽃	O	O			O	O	O
<i>Viola gryoceras</i> A. Gray	남시제비꽃	O	O			O		
<i>Viola japonica</i> Langsd. ex DC	왜제비꽃			O	O			
<i>Viola keiskei</i> Miq.	잔털제비꽃	O	O	O	O	O	O	O
<i>Viola mandshurica</i> W. Becker	제비꽃	O	O	O	O	O		O
<i>Viola orientalis</i> (Maxim.) W. Becker	노랑제비꽃 ^{b,c}		O	O	O	O	O	O
<i>Viola phalacrocarpa</i> Maxim.	털제비꽃	O	O	O	O	O	O	
<i>Viola rossii</i> Hemsl.	고갈제비꽃		O	O	O	O	O	O
<i>Viola seoulensis</i> Nakai	서울제비꽃 ^{a,c}			O				
<i>Viola sororia</i> Willd.	종지나물 ^e							O
<i>Viola variegata</i> Fisch. ex Link	알록제비꽃					O		
<i>Viola yedoensis</i> Makino	호제비꽃	O	O			O		O
Cupressaceae 측백나무과								
<i>Juniperus rigida</i> Siebold & Zucc.	노간주나무	O	O			O		
Pinaceae 소나무과								
<i>Larix kaempferi</i> (Lamb.) Carrière	일본잎갈나무	O	O	O	O	O		O
<i>Pinus densiflora</i> Siebold & Zucc.	소나무	O	O	O	O	O		O
<i>Pinus koraiensis</i> Siebold & Zucc.	잣나무 ^{b,c}	O	O	O	O	O		O
<i>Pinus rigida</i> Mill.	리기다소나무	O	O			O		O
<i>Pinus thunbergii</i> Parl.	곰솔		O			O		
Equisetaceae 속새과								
<i>Equisetum arvense</i> L.	쇠뜨기	O	O	O	O	O		O
Selaginellaceae 부처손과								
<i>Selaginella rossii</i> (Baker) Warb.	구실사리					O		
Osmundaceae 고비과								
<i>Osmunda cinnamomea</i> L.	평고비 ^b					O		

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Osmunda japonica</i> Thunb.	고비	O	O			O	O	
Aspleniaceae 꼬리고사리과								
<i>Asplenium incisum</i> Thunb.	꼬리고사리	O		O	O	O	O	O
<i>Asplenium ruprechtii</i> Sa. Kurata	거미고사리					O		
Athyriaceae 개고사리과								
<i>Athyrium niponicum</i> (Mett.) Hance	개고사리	O	O	O		O	O	O
<i>Athyrium vidalii</i> (Franch. & Sav.) Nakai	산개고사리 ^b	O		O	O	O		
<i>Athyrium yokoscense</i> (Franch. & Sav.) H. Christ	뱀고사리	O	O	O	O	O	O	O
<i>Deparia conilii</i> (Franch. & Sav.) M. Kato	좁진고사리			O		O		O
<i>Deparia coreana</i> (H. Christ) M. Kato	곱새고사리			O				
<i>Deparia japonica</i> (Thunb.) M. Kato	진고사리			O				O
<i>Deparia pycnosora</i> (H. Christ) M. Kato	털고사리					O		O
Davalliaceae 넉줄고사리과								
<i>Davallia mariesii</i> T. Moore ex Baker	넉줄고사리 ^c		O	O	O	O		O
Dennstaedtiaceae 잔고사리과								
<i>Dennstaedtia wilfordii</i> (T. Moore) H. Christ	황고사리	O	O	O		O	O	O
<i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A. Heller	고사리	O	O		O	O		
Dryopteridaceae 관중과								
<i>Cyrtomium fortunei</i> J. Sm.	쇠고비							O
<i>Dryopteris bissetiana</i> (Baker) C. Chr.	산족제비고사리							O
<i>Dryopteris chinensis</i> (Baker) Koidz.	가는잎족제비고사리				O	O	O	O
<i>Dryopteris crassirhizoma</i> Nakai	관중					O		
<i>Dryopteris gymnophylla</i> (Baker) C. Chr.	금족제비고사리 ^b			O				
<i>Dryopteris lacera</i> (Thunb.) Kuntze	비늘고사리					O	O	O
<i>Dryopteris saxifraga</i> H. Itô	바위족제비고사리			O	O		O	
<i>Dryopteris uniformis</i> (Makino) Makino	곰비늘고사리			O		O		O
<i>Leptorumohra borealis</i> Shmakov	왓살고사리					O		
<i>Polystichum tripterum</i> (Kunze) C. Presl	십자고사리		O	O	O	O		O
Onocleaceae 야산고비과								
<i>Pentarhizidium orientale</i> (Hook.) Hayata	개면마					O		
Polypodiaceae 고란초과								
<i>Lepisorus ussuriensis</i> (Regel & Maack) Ching	산일엽초	O	O			O		
Thelypteridaceae 처녀고사리과								
<i>Phegopteris connectilis</i> (Michx.) Watt	가래고사리 ^b					O		
<i>Thelypteris palustris</i> (A. Gray) Schott	처녀고사리			O		O		
Woodsiaceae 우드풀과								
<i>Woodsia manchuriensis</i> Hook.	만주우드풀	O				O		
<i>Woodsia polystichoides</i> D. C. Eaton	우드풀		O			O		
Ophioglossaceae 고사리삼과								

Appendix 2. Continued.

Scientific name	Common name	Lee (1985)	Ko et al. (1994)	Park et al. (2000)	Shin and Park (2001)	Park and Choi (2002)	Kim and Yoon (2007)	This study
<i>Botrychium ternatum</i> (Thunb.) Sw.	고사리삼			O			O	O
<i>Botrychium virginianum</i> (L.) Sw.	낮고사리삼 ^b					O		

^aEndemic species to Korea. ^bFloristic regional indicator species. ^cBiological resources subject to the approval of outbound transfer. ^dRare plants. ^eAlien plants.